Material Safety Data Sheet May be used to comply with		U.S. Department of Labor Occupational Safety and Health Administration				
OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be		(Non-Mandatory Form) Form Approved				
consulted for specific requirements.		OMB No. 1218-007				
IDENTITY (As Used on Label and List) Rhodium Plating Pen PL-1011		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.				
Section I		Inionnation	s avallable, the spe	ace must be mai	rked to indicate that.	
Manufacturer's Name Hunter Products, Inc.		Emergency Telephone Number (908) 526-8440				
Address (Number, Street, City, State, and Zip Code) 792 Partridge Drive, P.O. Box 6795		Telephone Number for Information (908) 526-8440				
Bridgewater, NJ 08807		Date Prepared 01/02/11				
		Signature of Prepar	rer (<i>optional</i>)			
Section II – Hazardous Ingredients/Ide	ntity Information					
Hazardous Components (Specific Chemical Identity	•	OSHA PEL A	ACGIH TLV	Other Limits Recommende	ed % (optional)	
Rhodium		100mg/m ³ (Rh)	1mg/m ³		<1%	
Sulfuric Acid		1mg/m ³	1mg/m ³		<1%	
Aqua Pura		N.A.	N.A.		Balance	
A law concentration or require colution						
A low concentration aqueous solution.						
Rhodium CAS # 7440-16-6						
Sulfuric Acid CAS# 7664-93-9						
Aqua Pura						
Section III – Physical/Chemical Charac	eteristics					
Boiling Point		Specific Gravity (H ₂	20 = 1)			
Vapor Pressure (mm Hg.)	≈ 212°F	Melting Point			N.A.	
, , , ,	N.A.				N.A.	
Vapor Density (AIR = 1)	N.A.	Evaporation Rate (Butyl Acetate = 1)			N.A.	
Solubility in Water Complete						
Appearance and Odor Odorless and colorle	255					
Section IV – Fire and Explosion Hazard						
Flash Point (Method Used)	Flammable Li			EL	UEL	
N.A. Extinguishing Media		N.A.		N.A.	N.A.	
N.A. Special Fire Fighting Procedures						
N.A.						
Unusual Fire and Explosion Hazards None						
140110						
(Reproduce locally)				SHA 174 Sept	1985	

Section V - Reac							
Stability	Unstable			Conditions to Avoid Exposure to high temperature.			
	Stable		Х		<u> </u>		
Incompatibility (Materia	ls to Avoid)			nlorates, fulminates and picrates.			
Hazardous Decomposi	tion or Byproduc	ts		norates, ruiminates and picrates.			
Hazardous	May Occur	IN	.,A. T	Conditions to Avoid			
Polymerization May Occur				N.A	٨.		
	Will Not Occur		X				
Section VI – Heal	th Hazard Da	nta					
Route(s) of Entry:		Inhalation?		Skin?	Ingestion?		
N.A. Health Hazards (Acute and Chronic)			X	X			
Tiealii Tiazaids (Acute	and Omonic,	Mildly caust	ic.				
Carcinogenicity:		NTP? N.A.		IARC Monograph N.A.	OSHA Regulated?		
		IN.A.		N.A.	N.A.		
Signs and Symptoms of Exposure							
Mild burning sensation if ingested. Possible mild rash upon prolonged skin exposure.							
Medical Conditions Generally Aggravated I	oy Exposure	N.A.					
, 55							
Emergency and First A	id Procedures						
For skin contact, wash with soap and water. For eye contact, flush thoroughly with water. If ingested, dilute with 3-4 glasses of water or milk.							
Section VII - Pred				d Use			
Steps to Be Taken in C	ase Material is F			procedures with water.			
		ooc starida	ia olean ap	procedures with water.			
Waste Disposal Method	d						
Dispose in accordance with local regulations.							
Draggutiana to Bo Toka	n in Handling on	d Storing					
Precautions to Be Taken in Handling and Storing Store in cool, dry location. Avoid accidental ingestion or skin or eye contact.							
Other Precautions		N.A.					
Section VII - Con	trol Measure	es					
Respiratory Protection		N.A.					
Ventilation			Local Exha		Special		
Moderate ventilation.			Macha::-	N.A.	N.A.		
			wechanica	al <i>(General)</i> Moderate ventilation.	Other N.A.		
Protective Gloves			ptional	Eye Protection	Optional		
Other Protective Clothi	ng or Equipment			I	- pro-rise		
N.A. Work/Hygienic Practices							
		V	ash hands	s after use and before eating or smol Page 2	king. ★ U.S.G.P.O.: 1986-491-529/45775		
				. ~g~ -	5.5.5.1 .5.1 1000 TO 1 020/TO 1 10		