Material Safety Data Sheet		U.S. Department of Labor								
May be used to comply with OSHA's Hazard Communication Standard,		Occupational Safety and Health Administration								
29 CFR 1910.1200. Standard must be		(Non-Mandatory Form) Form Approved								
consulted for specific requirements. IDENTITY (As Used on Label and List)	OMB No. 1218-0072									
Nickel Plating Pen PL-1006		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.								
Section I		·	· · · ·	•						
Manufacturer's Name Hunter Products, Inc.	Emergency Telephone Number (908) 526-8440									
Address (<i>Number, Street, City, State, and Zip Code</i>) 792 Partridge Drive, P.O. Box 6795		Telephone Number for Information (908) 526-8440								
Bridgewater, NJ 08807	Date Prepared 01/02/11									
	Signature of Preparer (optional)									
Section II – Hazardous Ingredients/Identity Information										
Hazardous Components (Specific Chemical Identii	OSHA PEL	ACGIH TLV	Other Limits H TLV Recommended % (optional)							
Nickel Sulfamate		1mg/m ³ (Ni)	0.1mg/m3			35%				
Diammonium Hydrogen Citrate		N.A.	N.A.			27.5%				
Aqua Pura		N.A.	N.A.			37.5%				
Nickel Sulfamate CAS # 13770-89-3										
Diammonium Hydrogen Citrate CAS # 3012-65-5										
Section III – Physical/Chemical Chara	cteristics									
Boiling Point		Specific Gravity	Specific Gravity ($H_20 = 1$)			 				
Vapor Pressure (mm Hg.)	≈ 212°F	Melting Point	Malting Daint		N.A.					
	N.A.	-			N.A.					
Vapor Density (AIR = 1)	N.A.	Evaporation Rate (Butyl Acetate = 1)		N.A.						
Solubility in Water Complete										
Appearance and Odor										
Light blue, odorless Section IV – Fire and Explosion Hazar										
Flash Point (Method Used)	Flammable I	Limits		LEL		UEL				
N.A.			I.A.	N.A.		N.A.				
N.A.										
Special Fire Fighting Procedures N.A.										
Unusual Fire and Explosion Hazards None										
(Reproduce locally)				OSHA 174, Sep	t 1085					
					. 1000					

Section V – Reac	tivity Data								
Stability	Unstable	Conditions to Avoid Exposure to high temperature.			o high temperature.				
	Stable	x			·				
Incompatibility (Materia	als to Avoid)		oxidizers (acids)						
Strong oxidizers (acids) Hazardous Decomposition or Byproducts N.A.									
Hazardous Polymerization	May Occur		Conditions	to Avoid	N.A.				
	Will Not Occur	N.A							
Section VI – Heal	th Hazard Data								
Route(s) of Entry:				Skin? X	Ingestion? X				
Health Hazards (Acute	and Chronic)	fildly caustic.		~		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
Carcinogenicity:	ITP? I.A.	IARC Monographs? N.A.			OSHA Regulated? N.A.				
Signs and Symptoms of Exposure Mild burning sensation if ingested. Possible mild rash upon prolonged skin exposure.									
Medical Conditions Generally Aggravated	by Exposure N	I.A.							
Emergency and First Aid Procedures For skin or eye contact flush thoroughly with water. If ingested, dilute with 3-4 glasses of water or milk.									
Section VII – Pred	cautions for Sa	afe Handling a eased or Spilled	and Use						
Steps to Be Taken in Case Material is Released or Spilled Use standard clean-up procedures with water.									
Waste Disposal Metho	4								
Waste Disposal Method Dispose in accordance with local regulations.									
Dressutions to De Telu		Oto rice a							
Precautions to Be Taken in Handling and Storing Store in cool, dry location. Avoid accidental ingestion or skin or eye contact.									
Other Precautions	N	I.A.							
Section VII – Con									
Respiratory Protection		I.A.							
Ventilation		Local E	Local Exhaust N.A.		Sp	Special N.A.			
Moderate ventilation.		Mecha	nical <i>(General)</i> Mo	derate ventilation		her N.A.			
Protective Gloves		Optional	Eye Pro		on Optional				
Other Protective Clothi	ng or Equipment	N.A.	1	1		νρινια			
Work/Hygienic Practices Wash hands after use and before eating or smoking.									
		vvasn ha	ands after use an Page		i smoking.	★ U.S.G.P.O.: 1986-491-529/45775			