

### SDS - Palladium Plating Pen PL- 1015

## 1. Product and Company Identification

Product Name	Palladium Plating Pen PL-1015			
Other Product Name(s)	PL-1015 Plating Pen			
Product Use	Palladium electroplating			
Manufacturer	Hunter Products, Inc.			
	36 Madison Ave.			
	Flemington NJ 08822			
	908-526-8440			
Emergency Telephone Number	908 230-0800			

### 2. Hazards Identification

**Emergency Overview**: Black pen-like dispenser of compound containing Palladium used for electroplating. Compound is a skin and eye irritant.

OSHA Regulatory Status	Hazardous		
OSHA Classification	Skin corrosion/irritation: 2		
	Eye damage/irritation: Cat 1		
OSHA Signal Word	DANGER		
OSHA Hazard Statements	Causes serious eye damage.		
	Causes skin irritation.		
OSHA Precautionary	Wear glasses or goggles and protective gloves (while handling).		
Statements	Do not get in eyes, on skin or on clothing.		
	Wash thoroughly after handling.		
	If in eyes: Rinse cautiously with water for several minutes. Remove		
	contact lenses, if present and easy to do. Continue rinsing. Immediately		
	call a poison control center or doctor. If on skin, wash with water. If skin		
	irritation persists, get medical advice/attention.		
OSHA Label Symbols			
Other Hazards Not Specified by OSHA	None		

8% of product consists of ingredients with unknown oral toxicity.

#### **Potential Health Effects:**

i otoritiai rioaitii L	inoto.		
Skin	Causes irritation		
Eyes	Causes burns that may lead to blindness or other damage to sight.		
Ingestions	May cause irritation and stomach upset if swallowed.		
Inhalation	Vapors nay cause mild irritation (created during use).		
Chronic Effects	None anticipated		

Ingredients found on established carcinogen lists:

Ingredient		NTP Status IARC Statue		OSHA List	
	No ingredients listed				

## 3. Composition / Information on Ingredients

Chemical Name	CAS#	EC Number	Wt. %*
Palladium (not regulated as hazardous in U.S.)	7440-05-3	231-115-6	1 - 3
Ammonium chloride (eye damage/irritation 2a)	12125-02-9	235-186-4	5 – 10
Potassium chloride (not hazardous)	7447-40-7	231-211-8	1 – 5
Ammonium hydroxide (skin corrosion/irritation: 1b)	1336-21-6	215-647-6	1 – 5
Water (not hazardous)	7732-18-5	231-791-2	77 – 92

### 4. First Aid Measures

Skin	If on skin wash with plenty of water. If skin irritation occurs get medical advice/attention.		
Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison control center or doctor.		
Ingestions	If you feel unwell, contact a poison control center.		
Inhalation	Remove to fresh air.		
Advice to	Treat symptomatically.		
Physician			

# 5. Fire Fighting Measures

Extinguishing Media:	Use any media suitable for surrounding fire.
Fire/Explosion Hazards:	None noted
Fire Fighting Procedures:	Wear normal turn-out gear. Avoid contact with skin and eyes. Wear self-contained respiratory protection.
Flammable Limits:	None
Flash Point	None
Auto ignition Temperature:	Not determined
Hazardous Combustion	Toxic inorganic and organic compounds and metal (rhodium)
Products:	fumes.

## 6. Accidental Release Measures

Personal	Wear proper personal protective equipment indicated in Section 8.		
Precautions:			
Containment:	Pick up pen(s).from ground or other surface		
Clean Up:	Discharge of contents highly unlikely. In case of liquid spill, use absorbent like clay or kitty litter and place in container for disposal.		
Notification	None noted		
Requirements:			

# 7. Handling and Storage

Handling:	Wear proper personal protective equipment indicated in Section 8. Wash hands before eating or drinking.		
Storage:	Should be stored in a dry location. Keep packages tightly closed to minimize product contamination. Keep out of the reach of children.		

# 8. Exposure Controls / Personal Protection

Engineering	Appropriate ventilation for removal of all electroplating vapors should be used.
Controls:	

#### **Personal Protective Equipment:**

Eyes and Face:	Wear safety glasses or chemical goggles to avoid accidental eye contact.
Respiratory:	Point ventilation to remove all electroplating vapors and fumes should be used.
Hands, Arms, and Body:	Use work gloves and aprons suitable for electroplating operations.
Other	Safety shower and an eyewash (or source of running water) should be available for emergency exposures.

### **Exposure Guidelines:**

Ingredient	ACGIH TLW	ACGIH STEL	OSHA PEL	OSHA STEL
Ammonium chloride (fumes only)	10 mg/m <sup>3</sup>	20 mg/m <sup>3</sup>		

# 9. Physical and Chemical Properties

Appearance & Physical State	Black pen-like device containing liquid ingredient
Odor:	None
Odor Threshold:	None
рН	Not determined
Specific Gravity (Relative density):	Not determined
Initial Boiling Point & Range:	Greater than water
Melting Point /Freezing Point:	Less than water
Evaporation Rate:	Not determined
Percent Volatile:	Not determine
Solubility in Water	Not determined
Vapor Density:	Not determined
Vapor Pressure:	Not determined
Upper/ Lower Flammable Limits:	None
Flash Point	None
Auto ignition Temperature:	Not determined
Flammability (solid, gas)	Not applicable
Octanol/water partition coefficient	Not determined
Decomposition temperature	Not determined
Viscosity	Not determined

# 10. Stability and Reactivity

Stability:	Stable product	
Conditions to Avoid:	None anticipated	
Materials to avoid	None anticipated.	
Hazardous Polymerization:	Will not occur	
Hazardous Decomposition	Palladium fume, irritating ammonia vapors.	
Products		

## 11. Toxicological Information

Eye:	Causes eye burns and irritation. Can cause permanent damage including blindness.
Skin:	Causes skin irritation.
Oral:	Estimated > 4500 mg/kg (oral, rat).
Inhalation:	Processing vapors may cause irritation.
Chronic:	No effects anticipated.

## 12. Ecological Information

Acute ecotoxity:	Not determined
Chronic ecotoxicity	Not determined
Other information	None

## 13. Disposal Considerations

RCRA Status	Not a hazardous waste if discarded	
Disposal Method:	Conform to Federal, State and Local regulations.	

### 14. Transportation Considerations

DOT Proper Shipping Name:	Not regulated for transport
DOT Primary Hazard Class	Not applicable
DOT UN / NA Number:	Not applicable
DOT Packing Group	Not applicable
TDG (Canada)	Not regulated for transport
IMDG (International water)	Not regulated for transport
ICAO (Air transport)	Not regulated for transport

## 15. Regulatory Information

#### **UNITED STATES:**

Toxic Substances Control Act (TSCA)

10/10 04/04/1000 00/11/10/1/	
TSCA Inventory Status:	Listed on TSCA Chemical Inventory
Other TSCA Issues:	None

#### **SARA Title III/CERCLA**

Ingredients with "Reportable Quantities" (RQs) and/or "Threshold Planning Quantities" (TPQs).

	<i>)</i>	( )
Ingredient	SARA/CERCLA RQ (lb.)	SARA EHS TPQ (lb.)
Ammonium chloride	5000	
Ammonium hydroxide	1000	

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center [(800) 424-8802] and to your Local Emergency Planning Committee.

SARA 311 Hazard Class:	Immediate	
------------------------	-----------	--

#### **SARA 313 Toxic Chemicals**:

The following ingredients are SARA 313 "Toxic Chemicals" and may be subject to annual reporting requirements. CAS numbers and weight percent are found in Section 2.

Ingredient	Comment
Ammonium hydroxide	Reporting threshold is 1%.

#### State Right-To-Know

In addition to the ingredients found in Section 2, the following are listed for state right-to-know purposes.

Ingredient	Weight %	Comment
No ingredients listed		

Additional Regulatory Information:	None

#### 16. Other Information

• Keep out of the reach of children.

Issue Date:	March 3, 2016	
Previous Issue Date:	January 1, 2014	
Changes from previous version:		Revision of format to meet HCS 2012.

#### National Fire Protection Assoc. (NFPA) Classification:

4 = Severe; 3 = Serious; 2 = Moderate; 1 = Slight, 0 = Minimal Health 2 Flammability 0 Reactivity 0

#### **Hazardous Materials Information Systems (HMIS):**

4 = Extreme; 3 = High; 2 = Moderate; 1 = Slight; 0 = Insignificant Health 2 Flammability 0 Physical Hazard 0